

Coward Industrial Services

834 Kingsbridge rd PO Box 769
 Carrollton, GA 30117 Carrollton, GA 30112
 office 770-834-2158 fax 770-834-1984



A. Billing Information

Company _____ Account# _____
 Address _____
 City/State _____ Zip _____ Contact _____
 Phone _____ Fax _____
 Email _____

B. Generator Information / Location of Waste

Generator Name _____ Technical Contact _____
 Premise Address _____
 City/State _____ Zip _____
 Contact Phone _____ Contact Fax _____
 Type of Business Activity _____ SIC Code _____

C. Waste Description

Common Name of Waste _____
 Process Generating Waste _____
 Other Process Information _____

Unused Product or Chemical
 Waste by-product from process
 Spill clean up
 Planned Site Remediation
 Other _____

D. Physical Properties (at 25° C or 77° F)

Physical State	Number of Phases/Layers	Odor	Color
100% Solid Without Free Liquid	1 2 3	None	Transparent
100% Liquid with No Solids		Mild	Translucent
Liquid/solid mixture	% By Volume (Approx.)	Strong	Opaque
_____ % Free Liquid	Top Middle Bottom	Describe: _____	Describe: _____
_____ % Settled Solids	_____ _____ _____	_____	_____
_____ % Total Suspended Solids		_____	_____

Flash Point	pH	Specific Gravity	Viscosity
< 73° F	<2	< 0.8 (e.g. Petroleum)	Low (e.g. Water)
73° - 100° F	2.1 - 4.9	0.8 - 1.0 (e.g. Water/Petroleum)	
101° - 140° F	5.1 - 9	1.0 (e.g. Water)	Medium (e.g. Motor Oil)
141° - 200° F	9.1 - 12.5	1.0 - 1.2 (e.g. Antifreeze)	
> 200° F	> 12.5	>1.2 (e.g. Methylene Chloride)	High (e.g. Molasses)

E. Volume

Anticipated Volume: _____ Drums Bulk Other _____
 Generation Frequency One Time Batch X Continuous
 Estimated Shipment Frequency: Weekly Semimonthly Monthly x Quarterly
 Other _____

F. Composition (Must add up to 100%. Include inert materials and/or debris if applicable.)

	%						%
	%						%
	%						%
					Total		%

G. Constituents Attach all available data including Lab analysis and MSDS's
 These values are based on _____ knowledge _____ testing _____ none in this section present

INORGANIC			Other		Pesticides/Herbices		
RCRA Regulated Metals	Regulatory Level (m/gl)	Conc. (mg/l)		Conc. (mg/l)		Regulatory Level (mg/l)	Conc. (mg/l)
D004 Arsenic	5.0	_____	Ammonia	_____	D012 Endrin	0.02	_____
D005 Barium	100.0	_____	Phosphorus	_____	D013 Lindane	0.4	_____
D006 Cadmium	1.0	_____	Formaldehyde	_____	D014 Methoxychlor	10.0	_____
D007 Chromium	5.0	_____	COD	_____	D015 Toxaphene	0.5	_____
D008 Lead	5.0	_____	Total Solids	_____	D016 2,4-D	10.0	_____
D009 Mercury	0.2	_____			D017 2,4,5 - TP (Silvex)	1.0	_____
D010 Selenium	1.0	_____	PCBs	_____	D020 Chlordane	0.03	_____
D011 Silver	5.0	_____	Dioxins	_____	D031 Heptachlor	0.008	_____

OTHER METALS: Conc. (mg/l)
 Copper _____ Cobalt _____ Titanium _____
 Nickel _____ Tin _____ Vanadium _____
 Zinc _____ Molybdenum _____

ORGANIC			Semi-Volatiel Compounds			Other Hazards
Volatile Compounds	Regulatory Level (mg/l)	Conc. (mg/l)		Regulatory Level (mg/l)	Conc (mg/l)	
D018 Benzen	0.5	_____	D023 o-Cresol	200.0	_____	Water Reactive
D019 Carbon Tetrachloride	0.5	_____	D024 m-Cresol	200.0	_____	
D021 Chlorobenzene	100.0	_____	D025 p-Cresol	200.0	_____	OSHA Regulated
D022 Chloroform	6.0	_____	D026 Cresol (Total)	200.0	_____	Carcinogens
D028 1,2 - Dichloroethene	0.5	_____	D027 1,4-Dichlorobenzene	7.5	_____	
D029 1,1 - Dichloroethylene	0.7	_____	D030 2,4-Dinitrotoluene	0.13	_____	Oxidizer
D035 Methyl Ethyl Ketone	200.0	_____	D032 Hexchlorobenzene	0.13	_____	
D039 Tetrachloroethylene	0.7	_____	D033 Hexachlorobutadiene	0.5	_____	Reducer
D040 Trichloroethylene	0.5	_____	D034 Hexachloroethane	3.0	_____	
D043 Vinyl Chloride	0.2	_____	D036 Nitrobenzene	2.0	_____	Infectious
			D037 Pentachlorophenol	100.0	_____	
			D038 Pyridine	5.0	_____	Thermally Sensitive
			D041 2,4,5-Trichlorophenol	400.0	_____	
			D042 2,4,6-Trichlorophenol	2.0	_____	Corrosive
						Other _____

H. Regulatory Status
 RCRA Hazardous Waste (per 40CFR261) ? Yes No State Hazardous Waste? Yes No
 USDOT Hazardous Material? Yes No Used Oil (per 40CFR279)? Yes No
 If yes to any, describe _____

I. Sample Status
 Representative sample has been supplied? Yes No Sampled by: _____
 Date Sampled: _____

J. Generator's Certification
 I hereby certify that all information submitted in this and attached documents is correct to the best of my knowledge. I also certify that any samples submitted are representative of the actual waste. If Cowart discovers a discrepancy during the approval process, generator grants Cowart the authority to amend the profile as Cowart deems necessary to reflect the discrepancy.
 Generator's Signature _____ Name (print) _____ Date _____